


Rohrdurchmesser zur Herstellung von Spiroval / Materialstärken
Diamètres de tube pour fabrication / Epaisseurs

H = Kanalhöhe in mm / Hauteur en mm
 B = Kanalbreite in mm / Largeur en mm



H	80	100	125	150	200	250	300	350	400	450	500
B	240	260	240	270	520	570	615	680	720	770	830
	180/0.62	200/0.62	200/0.62	224/0.62	400/0.62	450/0.62	500/0.62	560/0.62	600/0.62	650/0.75	710/0.75
	270	300	280	310	600	650	710	750	800	860	960
	200/0.62	224/0.62	224/0.62	250/0.62	450/0.62	500/0.62	560/0.62	600/0.62	650/0.75	710/0.75	800/0.75
	310	345	325	355	675	740	775	830	890	1010	1135
	224/0.62	250/0.62	250/0.62	280/0.62	500/0.62	560/0.62	600/0.62	650/0.75	710/0.75	800/0.75	900/0.75
	350	385	370	385	770	805	855	920	1040	1160	1295
	250/0.62	280/0.62	280/0.62	300/0.62	560/0.62	600/0.62	650/0.75	710/0.75	800/0.75	900/0.75	1000/0.75
	400	415	400	475	830	880	945	1065	1190	1325	1455
	280/0.62	300/0.62	300/0.62	355/0.62	600/0.62	650/0.75	710/0.75	800/0.75	900/0.75	1000/0.75	1100/1.00
	430	505	485	550	910	975	1100	1220	1350	1480	1610
	300/0.62	355/0.62	355/0.62	400/0.62	650/0.75	710/0.75	800/0.75	900/0.75	1000/0.75	1100/1.00	1200/1.00
				625	1005	1120	1250	1375	1510	1640	1770
				450/0.62	710/0.75	800/0.75	900/0.75	1000/0.75	1100/1.00	1200/1.00	1300/1.00
				700	1150	1275	1410	1535	1670	1800	
				500/0.62	800/0.75	900/0.75	1000/0.75	1100/1.00	1200/1.00	1300/1.00	
				800	1305	1430	1565	1700	1825		
				560/0.62	900/0.75	1000/0.75	1100/1.00	1200/1.00	1300/1.00		
				860		1600	1725	1860			
				600/0.62		1100/1.00	1200/1.00	1300/1.00			
				940		1750	1880				
				650/0.75		1200/1.00	1300/1.00				
				1040		1905					
				710/0.75		1300/1.00					

Beispiel: Spiroval H 200 / B 520 = Ø 400 / Materialstärke 0.62 mm
 Exemple: Spiroval H 200 / B 520 = Ø 400 / Epaisseur 0.62 mm

H	200
B	520
	400/0.62